




BULLDOG



The strongest tools


on earth

**Horticultural
Agricultural
and
Contractors tools**



The strongest tools on ea

Bulldog Tools a member of the



Earth weren't built in a day

Robson Park Industries Group.







**The stron
on e**

Horticultu

**gest tools
arth**



ral Range



Josephine Maister



5605 Solid Socket Garden Spade

305mm (12") socket, 710mm (28")
T or FD handle.
Size 1: 190mm (7½") x 290mm (11½").



5615 Solid Socket Garden Spade, Treaded

305mm (12") socket, 710mm (28")
FD handle.
Size 1: 190mm (7½") x 290mm (11½").



5600 Solid Socket Garden Spade

255mm (10") socket, 710mm (28")
T or YD handle.
Size 1: 190mm (7½") x 290mm (11½").



5610 Solid Socket Garden Spade, Treaded

255mm (10") socket, 710mm (28")
YD handle.
Size 1: 190mm (7½") x 290mm (11½").



5609 Solid Socket Border Spade

200mm (8") socket, 710mm (28")
T or YD handle.
Size: 140mm (5½") x 230mm (9").



5673 Solid Socket Junior Spade

200mm (8") socket, T handle.
810mm (32") overall.
Size: 127mm (5") x 178mm (7").




**5671 Solid Socket
All Metal Garden Spade**

215mm (8½") socket, 710mm (28")
metal YD handle.
Plastic sleeved metal shaft.
Size 1: 190mm (7½") x 290mm (11½").




**5676 Solid Socket
All Metal Garden Spade, Treaded**

215mm (8½") socket, 710mm (28")
metal YD handle.
Plastic sleeved metal shaft.
Size 1: 190mm (7½") x 290mm (11½").



**4612 Solid Strapped
Irish Garden Spade, Treaded**

305mm (12") Straps, 3 Rivets,
915mm (36") T handle.
Size: 140mm (5½") wide at mouth 165mm
(6½") wide at top 330mm (13") long.



**5649 Solid Socket Irish
Boy's Spade, Treaded**

200mm (8") Socket, 810mm (32")
T handle.
Size: 127mm (5") wide at mouth 152mm
(6") wide at top 280mm (11") long.




**4621 Solid Strapped
Garden Spade, Treaded**

305mm (12") Straps 710mm (28")
YD handle.
Size 1: 190mm (7½") x 290mm (11½").



**5607 'Double Century'
Solid Socket Garden Spade**

255mm (10") Socket, 810mm (32")
T or YD handle.
Size: 178mm (7") x 159mm (6¼")
x 240mm (9½").



**5703 Solid Socket
Weldless Garden Fork**

305mm (12") socket, 710mm (28")
T or FD handle.
Size: 4 prongs 200mm (8") x 305mm (12").



**5704 Solid Socket
Weldless Garden Fork**

255mm (10") socket, 710mm (28")
T or YD handle.
Size: 4 prongs 200mm (8") x 305mm (12").



**5715 Solid Socket
Weldless Border Fork**

200mm (8") socket, 710mm (28")
T or YD handle.
Size: 4 prongs 140mm (5½")
x 230mm (9").



**5788 Solid Socket
Weldless Junior Fork**

200mm (8") socket, T handle
810mm (32") overall.
Size: 4 prongs 127mm (5") x 178mm (7").




**5707 Solid Socket
Weldless Potato Fork**

305mm (12") socket. Ribbed back prongs.
760mm (30") T or YD handle.
Size: 4 prongs 200mm (8") x 290mm (11½").



**5714 'Double Century'
Solid Socket Weldless Garden Fork**

255mm (10") socket, 810mm (32")
T or YD handle.
Size: 4 prongs 178mm (7") x 230mm (9").



**4704 Solid Strapped
Weldless Garden Fork**

305mm (12") straps 710mm (28")
T or YD handle.
Size: 4 prongs 200mm (8")
x 320mm (12½").



9128 Springbok Major Lawn Rake

20 Wire teeth, 510mm (20") wide across
points, with 1.2m (48") yellow cellulosid
handle.



9116 Springbok Junior Lawn Rake

8 wire teeth, 152mm (6") wide across
points, with 1.2m (48") yellow cellulosid
handle.




**9149 Wizard Rubber Fingered
Lawn Rake**

33 teeth or fingers, 510mm (20") wide,
with 1.4m (54") yellow cellulosid handle.



9100 Fantail Lawn Rake

20 polypropylene fingers with steel tines,
510mm (20") wide across points, with
1.2m (48") tubular handle, P.V.C. sleeved.



3173 Tanged Paxton Hœ

Half bright, fitted with 1.5m (60")
best quality handle.
Sizes: 152mm (6"), 200mm (8").



1121 Tang and Ferrule Garden Rake

Solid teeth, with 1.5m (60") best quality handle.
Sizes: 10, 12, and 14 teeth.




3102 Socket Type Garden Rake

Bolstered teeth, solid ends, with 1.5m (60") best quality handle.
Sizes: 10, 12, and 14 teeth.



3108 Junior Garden Rake

Bolstered teeth, solid ends 915mm (36") shaped handle.
Size: 8 teeth.



1125 Solid Tooth Garden Rake

With 1.5m (60") tubular steel handle, P.V.C. sleeved, plastic bulb grip.
Sizes: 10 and 12 teeth.




3232 Solid Dutch Hoe

With 1.5m (60") best quality handle.
Sizes: 102mm (4") 127mm (5") 152mm (6").



3231 Junior Dutch Hoe

915mm (36") shaped handle.
Size: 102mm (4").




1232 Dutch Hoe

With 1.4m (54") tubular steel handle,
P.V.C. sleeved, plastic bulb grip.
Size: 127mm (5") blade.




1217 Tanged Draw Hoe

Half bright blade fitted with 1.5m (60")
best quality handle.
Size: 178mm (7") blade.




1235 Draw Hoe

With 1.5m (60") tubular steel handle,
P.V.C. sleeved, plastic bulb grip.
Size: 152mm (6") blade.



1382 Tanged Lawn Edging Knife

With 810mm (32") T handle.
Size: 200mm (8") wide blade.



1380 Lawn Edging Knife

With 760mm (30") tubular steel handle,
P.V.C. sleeved, plastic T.
Size: 200mm (8") wide blade.



3200 Spintiller

Malleable iron tines. 171mm (6¾") dia.
Length 1.7m (57").
Sizes: 2 tine width 89mm (3½")
4 tine width 152mm (6").



1912 Little Giant Grass Hook

With detachable blade.
Spare blade (0920) available.



1915 Scythette Minor

Detachable blade with 430mm (17")
tubular steel handle, P.V.C. sleeved,
plastic bulb grip.
Spare blade (0920) available.




1914 Scythette

Detachable blade with 810mm (32")
tubular steel handle, P.V.C. sleeved,
plastic bulb grip.
Spare blade (0162) available.



0516 Medium Weight Shear

Wooden hardwood handles, notched
blades. 190mm (7½") long.
Locking adjustable tension.



1514 Garden Shear

215mm (8½") notched blade. Solid
polypropylene handles.
Edge hardened blades.



1512 Border Shears

215mm (8½") blades with 810mm (32")
tubular steel handles, P.V.C. sleeved plastic
grips. Edge hardened blades.




1513 Lawn Shears

215mm (8½") blades with 810mm (32") tubular steel handles, P.V.C. sleeved plastic grips. Edge hardened blades.



0511 Lopping Shears

430mm (17") tubular handle, P.V.C. sleeved, plastic grips. Solid forged blade.



0660 Tree Pruner

Edge hardened blades. Plastic coated 2.4m (8ft), steel shaft.




0690 Britannia Secateur

Aluminium die cast with P.V.C. sleeved handles. Edge hardened blades.




0691 Palatine Secateur

Solid forged, with P.V.C. hand grips. Edge hardened blades.




0083 18" Bow Saw

Strong oval steel tube 24mm ($1\frac{5}{16}$ ") x 16mm ($\frac{5}{8}$ "). Quick release type. 460mm (18") blade with specially hardened teeth.
0084 spare blade for above.




0085 24" Bow Saw

Strong oval steel tube 33mm ($1\frac{5}{16}$ ") x 16mm ($\frac{5}{8}$ "). Quick release type. 610mm (24") blade with specially hardened teeth.
0086 spare blade for above.




0087 30" Bow Saw

Strong oval steel tube 33mm ($1\frac{5}{16}$ ") x 16mm ($\frac{5}{8}$ "). Quick release type. 760mm (30") blade with specially hardened teeth.
0088 spare blade for above.




0090 Pruning Saw

With yellow shock-proof handle and specially hardened teeth. Blade length: 350mm (14").



3045 Round Eye Garden Mattock

1.2m (48") handle.





1048 Stainless Steel Weed Fork
1038 Stainless Steel Hand Trowel

4 prongs. 142mm (5½") handle.

With 28mm (1") deep pointed scoop.
142mm (5½") handle.



1045 Stainless Steel
Long Handled Weed Fork


4 prongs. 1.4m (54") handle.



1041 Weed Fork
1031 Garden Trowel

Tang Type, 3 flat prongs, ½ bright and
painted. 152mm (6") handle.

Tang Type, ½ bright and painted.
152mm (6") handle.



1042 Long Handled Weed Fork
1044 Long Handled Weed Fork

With 1.07m (42") wood handle.

With 1.2m (48") wood handle.



1030 Dished Tang Garden Trowel
1034 Dished Tang Weed Fork

3 flat prongs, head painted, 127mm (5")
handle.

Head painted, 127mm (5") handle.




3054 Dibber
3055 All Metal Dibber

Metal shod T handle.

Plastic T Handle.

The strongest



Agricultu

tools on earth



ral Range



2216 Light Alloy Square Mouth Shovel

255mm (10") square top socket, 10sg blade, with 710mm (28") T or PD handle. Also with 1.2m (48") long plain handle. Size 4: 11" x 13½". Size 6: 12" x 14½". Size 8: 13" x 15½". Size 10: 14" x 16½".




2007 Light Alloy Grain Shovel

255mm (10") square top socket, 10sg blade, with 710mm (28") T or PD handle. Size: 310mm (12¼") x 430mm (17").




2226 Light Alloy Square Mouth Shovel

255mm (10") square top socket, 10sg blade, with 710mm (28") square plastic hilt, plastic sleeved metal shaft. Size 6: 305mm (12") x 370mm (14½") (Acceptable E.E.C. Regulations).




4309 Solid Strapped Narrow Dyking Spade

305mm (12") straps, with 710mm (28") T handle. Size 1: 215mm (8½") x 320mm (12½").




5733 Solid Socket Weldless Manure Fork

200mm (8") socket oval prongs, with 1.2m (48") or 1.4m (54") long plain handle. Size: 4 prongs, 230mm (9") x 330mm (13").



1758 Tang and Short Ferrule Manure Fork

Oval prongs, with 1.2m (48") long plain handle. Size: 4 prongs, 230mm (9") x 320mm (12½").



5730 Solid Socket Weldless Manure Fork

305mm (12") socket, oval prongs, with 1.4m (54") long plain handle.
Size: 5 prongs. 255mm (10") x 340mm (13½").



1748 All Metal Manure Fork

Oval prongs, with 810mm (32") tubular plastic covered handle, plastic T or P.D.
Also with 1.2m (48") tubular plastic covered long handle bulb grip (4 prongs only).
4 prong size: 230mm(9") x 320mm(12½").
5 prong size: 255mm(10") x 320mm(12½").



5731 Solid Socket Weldless Manure Fork

305mm (12") socket, oval prongs, with 810mm (32") T handle.
Size: 5 prongs. 255mm (10") x 340mm (13½").




5734 Solid Socket Weldless Scottish Manure Fork

305mm (12") socket, oval prongs, with 810mm (32") T handle.
Size: 4 prongs. 280mm(11") x 355mm(14").




1711 Tang and Strapped Ferrule Manure Fork

Oval prongs, with 810 (32") T or Metal YD handle. Also with 1.2m (48") long plain handle.
Size: 4 prongs. 230mm(9") x 320mm(12½").



5732 Solid Socket Weldless Manure Fork

200mm (8") socket, oval prongs, with 810mm (32") T or Metal YD handle.
Size: 4 prongs. 230mm(9") x 330mm(13").



4711 Solid Strapped Weldless Manure Fork

255mm (10") straps. Oval prongs, with 810mm (32") T or MYD handle.
Size: 4 prongs, 230mm (9") x 330mm (13").



4712 Solid Strapped Weldless Manure Fork

255mm (10") straps. Oval prongs, with 1.2m (48") long plain handle.
Size: 4 prongs, 230mm (9") x 330mm (13").



4722 Solid Strapped Weldless Manure Drag

Square prongs, 305mm (12") straps, with 1.8m (72") best quality handle.
Size: 4 prongs, 215mm (8½") across points x 240mm (9½") from bend.



1102 Solid Socket Weldless Manure Drag

Square prongs, with 1.8m (72") tubular steel handle.
Size: 4 prongs, 215mm (8½") across points, x 240mm (9½") from bend.




4737 Strapped Potato Loading Fork

10 ball-point prongs, with 760mm (30") T or Metal YD handle.




4739 Strapped Beet Loading Fork

6 ball-point prongs, with 810mm (32") T or Metal YD handle.




4732 Solid Strapped Weldless Hay Fork

255mm (10") straps.
2 prongs, fitted with best quality handle.
Prong size: 255mm (10").
Handle length: 1.2m (48"), 1.4m (54").




1732 Tang and Ferrule Hay Fork

2 prongs, fitted with best quality handle.
Prong size: 255mm (10").
Handle length: 1.5m (60").




4733 Solid Strapped Weldless Bale Fork

Round Shoulder type, 215mm (8½")
straps, 2 prongs 178mm (7") long, fitted
with 1.4m (54") best quality handle.




4734 Solid Strapped Weldless Bale Fork

Square shoulder type, 215mm (8½")
straps, 2 prongs 200mm (8") long,
fitted with 1.4m (54") best quality handle.



0247 Wood Hay Rake

Solid and bowed, 16 teeth, 76mm (3")
out, Ash head, hardwood handle.





1215 Tanged Scotch Hoe

Half bright, fitted with 1.5m (60")
best quality handle.
Sizes: 178mm (7"), 200mm (8").



3267 Stalham Hoe

Socket pattern, fitted with 1.5m (60")
best quality handle.
Size: 152mm (6").



1800 Trimming Hook

Forged quality, ribbed straight blade,
152mm (6") round handle with ring.
Size: No. 2.




1811 Grass Hook

Forged quality, straight type with 140mm
(5½") handle.
Size: No. 0.




1812 Grass or Hop Hook

Forged quality, cranked type with
140mm (5½") handle.
Size: No. 0.



1892 Anglesey Grass Hook

Forged quality, 152mm (6") round
handle.
Size: No. 1.



1807 Half Turn Devon Bill Hook

Forged quality, 140mm (5½")
caulked handle.
Size: 240mm (9½").




1844 Newtown Bill Hook

Forged quality 140mm (5½")
caulked handle.
Size: 255mm (10").



1832 Half Turn Spar Hook

Forged quality 140mm (5½")
caulked handle.
Size: 178mm (7").




1830 Double Edge Bill Hook

Forged quality, 152mm (6")
round handle.
Size: 255mm (10").



3830 Yorkshire Bill Hook

Forged quality, double edge, fitted with
355mm (14") handle.
Size: 230mm (9").



3812 General Pattern Brushing Hook

Forged quality, plain blade, with
915mm (36") handle.
Size: 380mm (15").



3810 Irish Brushing Hook

Forged quality, plain blade, ring and bolt with 760mm (30") or 915mm (36") handle. Size: 380mm (15").




3813 Hereford Socket Brushing Hook

Forged quality, plain blade with 915mm (36") and 1.2m (48") handle. Size: No. 2.



3820 Dunse Slasher

Forged quality, socket type. Size: 255mm (10"), with 760mm (30") handle.




3821 Irish Single Edge Slasher

Forged quality, socket type. Size: 255mm (10") with 915mm (36") handle, ring and bolt.



3825 Irish Double Edge Slasher

Forged quality, socket type. Size: 255mm (10") with 915mm (36") handle, ring and bolt.



**0221 Rivetted Scythe Blades
0243 Patent Loop Alloy Scythe Snath**

Sizes: 760mm (30"), 915mm (36").




0945 Hunters' Hatchet

Wedge pattern, with 14" ash handle.
Size: 0.68 kg (1½lbs).



0944 Felling Axe

Wedge pattern, half bright and painted,
with 915mm (36") hickory fawn foot
handle.
Size: 2 kg (4½lbs).




0387 Timber Splitting Wedge

Sizes: 200mm (8"), 255mm (10")




**0422 Farmer's Claw Hammer
0434 Joiner's Hammer**

Weight 0.45 kg (1 lb.) complete
with ash handle.
Adze eye, shafted complete.
Size: 0.56 kg (1¼ lb.).




**0317 Grubbing Mattock
0316 Pick End Mattock**

Oval eye, 405mm (16") overall.
Size: 2.3 kg (5 lbs.).
Oval eye.
Size: 2.3 kg (5 lbs.).



**Carborundum Scythe Stones:
0198 0203 0057**

Canoe shape, 235mm (9¼") long.
Cigar shape, 305mm (12") long.
Square taper, wood handle, 355mm (14")
overall.



**The
strongest
on earth**

It took us nearly 200 years to make.

The story of the strongest shovel on earth starts in 1780, when we at Bulldog Tools started. The story since then has been one of unstinting skill, craftsmanship and dedication.

The aim: to make the world's strongest shovel. Because a shovel that is made stronger, will last longer.

By 1861, the company was already, to quote an advertisement, "manufacturers of spades, shovels, hammers . . ."

What did the inventor of stainless steel recommend shovels should be made of?

In 1919, Mr. Richard Lace, the Director of Production, asked his friend Mr. Harry Brearley, the inventor of stainless steel, to look at our shovels. Mr. Brearley suggested carbon manganese steel should be used instead of carbon steel. This steel, when heat treated by a specialist method known as Austempering, gives accurately controlled hardness and much improved wearing qualities.

A test of strength. Then.


In 1929, the company changed its name to English Tools Ltd., but still strongly maintained its original Bulldog identity. A savage test which impressed customers and proved effective advertising, was to jab the blades of our shovels on edge at right angles to the edge of the competitor's shovels. Almost invariably the latter was dug into by up to an eighth of an inch.

Now.

Recent independent tests show that Bulldog shovels on average broke at much higher loads than other leading competing UK brands and at all times were far superior to the load requirements of the British Standard: BS3388. Tests of strength on other major items in the Bulldog range proved equally impressive.

A Bulldog shovel in the making.


Today, we still make our shovel blades with carbon manganese steel from Sheffield, which is specially produced for us. We insist on proper forging quality.



Contract



**e
st tools
arth**



That is, with no slag inclusions, unlike the steel used in other shovels. We're no less choosy with the shafts of our shovels. After all, what's the point of a fine blade if the shaft is going to break?

Which is why we make our shafts from the very best quality American ash (40% of which we reject) and we operate the very strictest quality control, checking the wood for freedom from knots, weight and straightness of grain. What's more, the shaft reaches right down almost to the blade and the socket has the thickest, most solid neck on the market. Each piece, blade and shaft, fits together perfectly to give extra strength. Today, we make our shovels with all the pride, craft and care that we have always done. From forging the blade, through Austempering to shafting and sanding every single stage is carefully checked for quality.

Bulldog lead the market.

Today Bulldog lead both the £8 million Contractor Tool market with a 34% share and the £1 million Agricultural Hand Tool market with a 37% share.

All the best of British.

Bulldog were the first to produce a full range of all metal shovels for specialist customers who demanded nothing less than the very strongest shovel. Today Bulldog have the most comprehensive range of Contractor's and Agricultural tools in the world. From the solid socket shovel to the forged socket Double Edge Slasher. You can buy cheaper tools, but in the long run it pays to buy Bulldog. Simply because, each and every one is built stronger to last longer. And at the end of the day, isn't that what a good tool is all about?

ors Range



Built stronger to last longer

Bulldog Tools, Clarington Forge, Wigan WN1 3DD.



5202 Solid Socket Square Mouth Shovel

255mm (10") socket, with 710mm (28") T or Metal YD handle, wood grip.
 Size 000: 200mm (8") x 265mm (10½").
 Size 0: 230mm (9") x 290mm (11½").
 Size 1: 240mm (9½") x 305mm (12").
 Size 2: 255mm (10") x 320mm (12½").



5204 Solid Socket Square Taper Shovel

255mm (10") socket with 710mm (28") T or Metal YD handle, wood grip.
 Size 2: 215mm (8½") x 255mm (10") x 320mm (12½").




5221 Solid Socket All Metal Square Mouth Shovel

710mm (28") Metal YD handle, wood grip. Plastic sleeved metal shaft.
 Size 2: 255mm (10") x 320mm (12½").



5224 Solid Socket All Metal Square Taper Shovel

710mm (28") Metal YD handle, wood grip. Plastic sleeved metal shaft.
 Size 2: 215mm (8½") x 255mm (10") x 320mm (12½").



5226 Solid Socket All Metal Square Mouth Shovel

710mm (28") Metal YD handle, wood grip metal shaft.
 Size 2: 255mm (10") x 320mm (12½").



5227 Solid Socket All Metal Taper Mouth Shovel

710mm (28") Metal YD handle, wood grip metal shaft.
 Size 2: 215mm (8½") x 255mm (10") x 320mm (12½").



**5302 Solid Socket
Round Mouth Shovel**

255mm (10") socket with 710mm (28")
T or Metal YD handle, wood grip.
Size 2: 265mm (10½") x 320mm (12½").



**5321 Solid Socket
All Metal Round Mouth Shovel**

710mm (28") Metal YD handle, wood
grip. Plastic sleeved metal shaft.
Size 2: 265mm (10½") x 320mm (12½").



**5326 Solid Socket
All Metal Round Mouth Shovel**

710mm (28") Metal YD handle,
wood grip metal shaft.
Size 2: 265mm (10½") x 320mm (12½").



**5212 Solid Socket
Square Mouth Trench Shovel**

305mm (12") socket with 710mm (28")
T or Metal YD handle, wood grip.
Size: 172mm (6¾") x 190mm (7½")
x 280mm (11").



**5213 Solid Socket
Cable Laying Shovel**

305mm (12") socket with 710mm (28")
T or Metal YD handle, wood grip.
Size: 114mm (4½") x 140mm (5½") x
280mm (11").



**5209 Solid Socket
Moulders' or Plasterers' Shovel**

255mm (10") socket with 710mm (28")
T handle.
Size 1: 240mm (9½") x 290mm (11½").



5222 Solid Socket All Metal Square Mouth Trench Shovel

710mm (28") Metal YD handle, wood grip. Plastic sleeved metal shaft.
Size: 172mm (6¾") x 190mm (7½") x 280mm (11").



5527 Solid Socket All Metal Clay or Grafting Tool

710mm (28") Metal YD handle, wood grip. Plastic sleeved metal shaft.
Size 2: 165mm (6½") x 320mm (12½").



5524 Solid Socket All Metal Newcastle Draining Tool

710mm (28") Metal YD handle, wood grip. Plastic sleeved metal shaft.
Size: 355mm (14") or 405mm (16").
Width at mouth 102mm (4").
Width at top 178mm (7").




4202 Solid Strapped Square Mouth Shovel

305mm (12") straps with 710mm (28") T or Metal YD handle, wood grip.
Size 000: 200mm (8") x 265mm (10½").
Size 0: 230mm (9") x 290mm (11½").
Size 2: 255mm (10") x 320mm (12½").



4204 Solid Strapped Square Taper Shovel

305mm (12") straps with 710mm (28") T or Metal YD handle, wood grip.
Size 2: 215mm (8½") x 255mm (10½") x 320mm (12½").



4511 Solid Strapped Clay or Grafting Tool

460mm (16") straps with 710mm (28") T or Metal YD handle.
Size 2: 165mm (6½") x 320mm (12½").



**4504 Solid Strapped
Newcastle Draining Tool**

460mm (16") straps with 710mm (28")
T or Metal YD handle.
Blade size: Length: 355mm (14") or
405mm (16").
Width at mouth: 102mm (4").
Width at top: 178mm (7").



**4302 Solid Strapped
Round Mouth Shovel**

305mm (12") straps with 710mm (28")
T handle.
Size 2: 265mm (10½") x 320mm (12½").





**4305 Solid Strapped General Service
Round Mouth Shovel Treaded**

254mm (10") straps with 710mm (28")
T handle.
Size: 203mm (8") x 255mm (10").



5391 Post Office Spade Rabbiting


With 1.7m (67") tubular steel handle.
Size: 124mm (4⅞") x 320mm (12½").





**5721 Solid Socket Weldless
All Metal Clay or Trenching Fork**

710mm (28") Metal YD handle, wood grip. Plastic sleeved metal shaft.
Size: 4 prongs 200mm (8") x 330mm (13").



**5719 Solid Socket Weldless
All Metal Clay or Trenching Fork**

Extra strong, square prongs with chisel points, with 760mm (30") Metal YD handle.
Size: 4 prongs 200mm (8") x 330mm (13").



**4719 Solid Strapped Weldless
Clay or Trenching Fork**

Extra strong, straps full length of handle, square prongs with chisel points, with 760mm (30") Metal YD handle.
Size: 4 prongs 200mm (8") x 330mm (13"). or with shorter straps 3 rivets also available with heavy gauge plastic sleeve.



**5726 Solid Socket Weldless
Stone or Tarmacadam Fork**

Square prongs, with 710mm (28") T or Metal YD handle, wood grip.
8 prong size: 285mm (11 1/4") x 370mm (14 1/2"). Spaces: 32mm (1 1/4").
10 prong size: 285mm (11 1/4") x 370mm (14 1/2"). Spaces 25mm (1").



4729 Strapped Coke Fork

Diamond shaped prongs, with 760mm (30") T or Metal YD handle.
Size: 12 prongs 390mm (15 1/2") x 440mm (17 1/2"). Spaces 22mm (7/8").



1100/1101 Asphalt Rakes

Head rivetted to shank, flat teeth, with best quality handle, 1.7m (66") overall.
Size: 16 teeth. Depth: 90mm (3 1/2"). Width 380mm (15"). Spaces 22mm (7/8").
1101 with tubular steel handle.



5270 Solid Socket Plasterers' Drag

Broad flat prongs, with 1.8m (72") all metal shaft.
Size: 3 prong 230mm (9") x 165mm (6½").



2213 Open Socket Square Mouth Shovel

255mm (10") square top socket, with 710mm (28") T or Metal YD handle. Also with 1.2m (48") long plain handle.
Size 2: 10" x 12½". Size 4: 11" x 13½".
Size 6: 12" x 14½". Size 8: 13" x 15½".
Size 10: 14" x 16½".



2313 Open Socket Round Mouth Shovel

255mm (10") square top socket with 710mm (28") T handle.
Size 4: 290mm (11½") x 340mm (13½") long.



2303 Open Socket Lancashire Coal Mining Shovel

16 sg blade, with 610mm (24") T handle.
Size 1: 355mm (14") x 355mm (14").
Size 2: 380mm (15") x 380mm (15").




2309 Open Socket West Country Round Mouth Shovel

14 sg blade, with 1.4m (54") long plain handle.
Size: 255mm (10").




2305 Open Socket Irish Round Mouth Shovel

14 sg blade, with 1.4m (54") long plain handle.
Size: 240mm (9½") x 355mm (14").




0300 Navy Pick

Oval eye, point and chisel.
Size: 3.2 kg (7 lbs).




0301 Navy Pick

Oval eye, double point.
Size: 3.2 kg (7 lbs).



0304 English Clay Mattock

Oval eye, reversed chisel.
Size: 3.2 kg (7 lbs).




0400 Sledge Hammer

Double faced, black faces. Supplied complete with hickory handle.
Size: 1.8 kg (4 lbs) 610mm (24") handle.
3.2 kg (7 lbs) 760mm (30") handle.
4.5 kg (10 lbs) 915mm (36") handle.
6.3 kg (14 lbs) 915mm (36") handle.



0416 Masons' Club Hammer

Shafted complete.
Size: 1.1 kg (2½lbs).




**0296 Wrecking Bar: 0007 Pinchbar:
0002 Crowbar: 0001 Fencing Pin:**

0296: Goose Neck Type. Size: 18" x 5/8".
24" x 3/4". 0007: Round, heel and chisel.
Size: 60" x 1 1/8". 60" x 1 1/4". 0002: Round, chisel
and point. Size: 48" x 1 1/8". 60" x 1 1/4".
0001: Size: 54" x 3/4" dia.



8356 C.I. Earth Punner Square

Weight 5.4 kg (12 lbs) with
1.4m (54") handle.



8357 C.I. Earth Punner Round

Weight 5.4 kg (12 lbs) with
1.4m (54") handle.




8378 Cast Iron Stake Driver


Weight approx. 6 kg (13 lbs) with
915mm (36") handle.







8020 Straight Taper Handles for Open Socket Shovels. T & MYD. **8021 Straight Taper Handles** for Open Socket Alloy Shovels. T & PD. **8022 Straight Taper Handles** for Solid Socket Shovels, Spades & Forks. T, MYD & YD. **8023 Single Bend Handles** for Solid Strapped Shovels, Spades & Forks. T, MYD & YD. **8024 Straight Taper Handles** for Solid Socket Manure Forks. T & MYD. **8025 Single Bend Handles** for Solid Strapped Manure Forks. T & MYD.








8245 Handle complete with Ferrule & Cap for Tanged Manure Fork (Patt. 1711). Length 48". **8242 Straight Taper Handle** for West Country Shovel. Length 54". **8029 Handle for Solid Strapped Hay Forks** Lengths 48" & 54". **8028 Single Bend Long Handle for Solid Strapped Manure Fork** Length 48". **8027 Straight Taper Long Handles for Solid Socket Manure Forks** Lengths 48" & 54".



0030 Sledge Hammer Handles Lengths 30" & 36".
0040 Navy Pick Handle Length 36".
0292 Slasher Handle Length 36".









Bulldog Tools reserve the right to change the specifications of any of the

The strongest tools on earth

Produced by Poulter Allison Rickard for



tools in this brochure or withdraw them from sale without prior notice.

Earth weren't built in a day

Bulldog Tools. Printed by Libra Press.





**Built stronger
to last longer**



Bulldog Tools, Clarington Forge, Wigan, WN1 3DD.